Medix Biochemica

Oy Medix Biochemica Ab

Headquarters Klovinpellontie 3 Fl-02180 Espoo

Finland

Email: sales@medixbiochemica.com

Medix Biochemica USA Inc.

10850 Metro Court Maryland Heights, MO 63043 United States of America

Email: sales@medixbiochemica.com

Product Datasheet

Anti-h LH 5301 SP-5 100016 Medix Biochemica

Oy Medix Biochemica Ab

Headquarters Klovinpellontie 3 Fl-02180 Espoo

Finland

Email: sales@medixbiochemica.com

Medix Biochemica USA Inc.

10850 Metro Court

Maryland Heights, MO 63043 United States of America

Email: sales@medixbiochemica.com

Product Name Anti-h LH 5301 SP-5

Catalog Number 100016

Description

Monoclonal mouse antibody, cultured in vitro under conditions

free from animal-derived components.

Tested Applications

LF, FIA, CLIA

Applications

Brand

Medix Biochemica

Form/AppearaLiquid, may turn slightly opaque during storage

Concentratior 5.0 mg/ml (+/- 10 %)

Storage +2-8°C

Note Nilsson et al. (2001) analyzed epitopes of 30 different LH mAbs.

Antibody 5301 was classified as belonging to epitope group beta 2, recognizing intact LH, its beta subunit as well as a common variant of LH. Antibody 5301 did not cross react with TSH or FSH

but did so with hCG.

Isotype IgG1

Clonality Monoclonal

Epitope Beta 2 as described in Nilsson et al. (2001) Two antibodies

binding to the same, or closely located epitopes, belong to the same group and hence cannot be used as a pair in a sandwich assay. Epitope group numbering does not give any detailed

information where the epitope is located.

Purity ≥ 95 %

Affinity constant

 $KA = 4.4 \times 10^{11} \text{ 1/M}; KD = 2.3 \times 10^{-12} \text{ M} (= 2.3 \text{ pM})$

Associated Products Native LH antigen 996-31

Buffer 0.9 % NaCl, 0.095 % NaN3 as a preservative

IEF Profile 6.3–7.2

Cross Reactivity LH α 13 %, LH β 170 %, FSH 5 %, hCG 138 %, TSH 0.03 %

Specificity Antibody recognizes human luteinizing hormone (lutropin), and its

beta-subunit

Shelf Life 36 months



Oy Medix Biochemica Ab

Headquarters Klovinpellontie 3 Fl-02180 Espoo Finland

Email: sales@medixbiochemica.com

Medix Biochemica USA Inc.

10850 Metro Court Maryland Heights, MO 63043 United States of America

Email: sales@medixbiochemica.com

References

Federici, M.M., Fraser, R., Lundqvist, C., and Lankford, J.C., (1982) Production and characterization of monoclonal antibodies human lutenizing hormones. Fed. Proc., 41

Nilsson, C., Seppälä, M., and Pettersson, K., (2001) Immunological characterization of human luteinizing hormone with special regard to a common genetic variant. J.Endocrinol. 168:10-116

Pettersson, K.S.I., and Söderholm J.R-M., (1990) Ultrasensitive two-site immunometric assay of human lutropin by time-resolved fluorometry. Clin. Chem. 36(11):1928-1933

Pettersson, K.S.I., and Söderholm J.R-M., (1991) Individual differences in lutropin immunoreactivity revealed by monoclonal antibodies. Clin. Chem. 37(3):333-340

Vilja, P., Wichmann, L., Isola, J., and Tuohimaa, P., (1988) Monoclonal-antibody based noncompetitive avidin-biotin assay for lutropin in urine.Clin. Chem. 34(8):1585-1590