Medix Biochemica

Oy Medix Biochemica Ab

Headquarters Klovinpellontie 3 FI-02180 Espoo

**Finland** 

Email: sales@medixbiochemica.com

Medix Biochemica USA Inc. 10850 Metro Court

Maryland Heights, MO 63043

United States of America Email: sales@medixbiochemica.com

## **Product Datasheet**

## Anti-h TSH 5405 SP-5 100819

Anti-h TSH 5405 SP-5 **Product Name** 

Catalog Number 100819

Monoclonal mouse antibody, cultured in vitro under conditions Description

free from animal-derived components.

**Tested Applications**  LF, CLIA, FIA

Medix Biochemica **Brand** 

Form/AppearancLiquid, may turn slightly opaque during storage

Concentration 5.0 mg/ml (+/- 10 %)

Storage +2-8°C

Note Wu et al. (2002) developed a three antibody assay system which

utilizes clones 5403, 5404 and 5405. Clone 5405 was used as a coated antibody and clones 5403 and 5404 were used as biotinylated label antibodies. They were able to achieve 0.002 mIU/L analytical and 0.017 mIU/L functional sensitivity. The test had negligible cross-reactivity with LH, FSH and hCG which were

tested up to 200 mIU/L and 2500 IU/L, respectively.

Isotype IgG2a

Clonality Monoclonal

**Epitope** Group 3

**Purity** ≥ 95 %

Affinity constant  $KA = 6.6 \times 10^9 \text{ 1/M}$ ;  $KD = 1.5 \times 10^{-10} \text{ M}$  (= 0.15 nM)

Associated **Products** 

Native TSH antigen 996-51

**Buffer** 0.9 % NaCl, 0.095 % NaN3 as a preservative

**IEF Profile** 6.2 - 7.1

Cross Reactivity TSH  $\alpha$  9.3 %, hCG < 0.1 %, LH 0.47 %, FSH 1.8 %

Antibody recognizes human thyrotropin and its free beta subunit Specificity

36 months **Shelf Life** 

References Wu, F.-B., Han, S.-Q. and He, Y.-F. (2002) Time-resolved

immunofluorometry of serum hTSH with enhanced sensitivity. J.

Immunoassay & Immunochem., 23(2):191-210