**Oy Medix Biochemica Ab**
Headquarters
Klovinpellontie 3
FI-02180 Espoo
Finland
Email: sales@medixbiochemica.com

**Medix Biochemica USA Inc.**
10850 Metro Court
Maryland Heights, MO 63043
United States of America
Email: sales@medixbiochemica.com

# Product Datasheet

## Human IFN gamma ELISA Set
## 851.560

**Oy Medix Biochemica Ab**
Headquarters
Klovinpellontie 3
FI-02180 Espoo
Finland
Email: sales@medixbiochemica.com

**Medix Biochemica USA Inc.**
10850 Metro Court
Maryland Heights, MO 63043
United States of America
Email: sales@medixbiochemica.com

| | |
|---|---|
| **Product Name** | Human IFN gamma ELISA Set |
| **Catalog Number** | 851.560 |
| **Description** | Diaclone ELISA Sets include capture and biotinylated detection antibody, one standard per plate, Streptavidin-HRP, TMB, and detailed procedure including buffer composition. |
| **Range** | 12.5-400 pg/ml |
| **Sensitivity** | 5 pg/ml |
| **Alternative Names** | IFN-g, IFN-gamma |
| **Brand** | Diaclone |
| **Storage** | Store at +4°C |
| **Cross Reactivity** | No cross reactivity with other human cytokines. Cross reactivity with simian IFN-g. |
| **Specificity** | Recognizes both natural and recombinant human IFN-g |
| **Sample Types** | Serum, Plasma, Cell culture supernatant |

Medix Biochemica

**Oy Medix Biochemica Ab**
Headquarters
Klovinpellontie 3
FI-02180 Espoo
Finland
Email: sales@medixbiochemica.com

**Medix Biochemica USA Inc.**
10850 Metro Court
Maryland Heights, MO 63043
United States of America
Email: sales@medixbiochemica.com

**References**

Paananen, A. et al., Infect Immun.,2000; 68(1): 165-9. - **Pubmed link**
Sareneva T. et al., J. Immunol., 2000; 165(4): 1933 - 1938 - **Pubmed link**
Haller D. et al., Clin. Diagn. Lab. Immunol., 2002; 9(3): 649 - 657 - **Pubmed link**
Strengell, M. et al., J Immunol.,2003; 170(11): 5464-9. - **Pubmed link**
Teitelbaum, D. et al., Mult Scler.,2003; 9(6): 592-9. - **Pubmed link**
Mittelbrunn M. et al., PNAS 2004; 101(30) : 11058 - 11063 - **Pubmed link**
Druilhe, P. et al.,PLoS Med.,2005; 2(11): e344 - **Pubmed link**
Audran, R. et al., Infect Immun., 2005; 73(12): 8017-26. - **Pubmed link**
Zhang, Q. et al., Infect Immun.,2006; 74(8): 4735-43. - **Pubmed link**
Popov, A. et al., J Clin Invest.,2006; 116(12): 3160-70. - **Pubmed link**
Filaci, G. et al., J. Immunol.,2007; 179(7): 4323-4334 - **Pubmed link**
Boniface, K. et al.,Clin Exp Immunol.,2007; 150(3): 407-15. - **Pubmed link**
Urzainqui, A. et al., J. Immunol., 2007;179(11): 7457-7465. - **Pubmed link**
Munoz, P. et al., Blood,2008; 111(7): 3653-3664. - **Pubmed link**
Arnaud, V. et al., J Infect Dis.,2008;198(3): 418-26. - **Pubmed link**
Pallandre, J-R. et al., J. Immunol., 2007;179(11): 7593-7604. - **Pubmed link**
Popov, A. et al.,J. Immunol.,2008; 181(7): 4976-4988. - **Pubmed link**
Pecaric-Petkovic, T. et al., Blood,2009; 113(7): 1526-1534. - **Pubmed link**
Nebie, I. et al., Parasite Immunol.,2009; 31(8): 474-80 - **Pubmed link**
Audran, R. et al.,PLoS One,2009;4(10): e7304 - **Pubmed link**
Onishi, H. et al., Anticancer Res.,2011; 31(11) :3995-4005 - **Pubmed link**
Alvarez-Corrales, N. et al.,BMC Infect Dis.,2013;13:125 - **Pubmed link**
Karlsson, H. et al.,PLoS One,2015; 10(12): e0144787 - **Pubmed link**
Daull, P. et al., Mol Vis. 2018 Jul 20;24:459-470 - **Pubmed link**

Tapia-Galisteo, A. et al., Oncoimmunology. 2022; 11(1): 2034355. - **Pubmed link**