



Product specifications

Name Anti-h NGAL 4204 SPTN-5

Specificity Antibody recognizes human neutrophil gelatinase-associated lipocalin (NGAL)

Description Monoclonal mouse antibody, cultured *in vitro* under conditions free from animal-derived

components

Product code 100581

Product buffer solution 50 mM Na-citrate, pH 6.0, 0.9 % NaCl, 0.095 % NaN₃ as a preservative

Shelf life and storage 36 months from manufacturing at 2–8 °C

Subclass IgG₁

Analyte description Neutrophil gelatinase-associated lipocalin (NGAL) is a small glycoprotein expressed in the

bone marrow, epithelial tissues associated with antimicrobial defense, and in the distal tubules and collecting duct of the kidney. Elevated levels of blood and urine NGAL are

associated with acute or chronic renal failure.

Parameters tested on each lot

Product appearance Liquid, may turn slightly opaque during storage

Product concentration 5.0 mg/ml (+/- 10 %)

Immunoreactivity 80–120 % compared to the reference sample in an FIA test

IEF Profile 6.0–7.1

Purity ≥ 95 %

Kinetic parameters

Association rate constant 1.8 x 10⁵ 1/Ms

Dissociation rate constant 3.4 x 10⁻⁵ 1/s

Affinity constant $K_A = 5.3 \times 10^9 \text{ 1/M}; K_D = 1.8 \times 10^{-10} \text{ M} (= 0.18 \text{ nM})$

Determination method SPR analysis (ProteOn XPR36)

Determination antigen NGAL, Medix Biochemica (Cat 610012)





2021-02-05

Cross-reactivities Not determined (N/D)

Epitope N/D

Pair recommendations

		DETECTION			
		4202	4203	4204	4205
CAPTURE	4202	-	+	+	+
	4203	+	-	+	+
	4204	+	+	-	+
	4205	+	+	+	-

Following pairs are especially recommended for the below mentioned assays: IT: 4202 - 4203, 4203 - 4204 and 4203 - 4205

Please note that pair recommendations are based on results obtained by our laboratory. Equally good results may be obtained using other pairs and therefore these recommendations are only indicative.

Platforms tested FIA, IT

Antigens tested Recombinant NGAL antigen, Medix Biochemica 610012 and native NGAl antigen Lee

Biosolutions 342-49.

Product stability TEMPERATURE, TIME RESULT

-70 °C, 21 days OK
-20 °C, 21 days OK
+4 °C, 21 days OK
+35 °C, 7 days OK

+35 °C, 21 days Charge alterations +45 °C, 3 days Charge alterations

Stability testing is performed in the product buffer to see whether different temperatures affect the antigen binding, charge or composition of the antibody. Please note that the shelf life given on the first page is based on real time stability testing at $2-8\,^{\circ}\text{C}$ in the product buffer.

Miscellaneous -

References -