



Product specifications

Name Anti-SARS-CoV-2 N 3512 SPTN-5

Specificity Antibody recognizes SARS-CoV-2 nucleocapsid protein

Description Monoclonal mouse antibody, cultured *in vitro* under conditions free from animal-derived

components.

Product code 100954

Product buffer solution 50 mM Na-citrate, pH 6.0, 0.9 % NaCl, 0.095 % NaN₃ as a preservative

Shelf life and storage Unspecified, storage at 2–8 °C

Subclass IgG₁

Analyte description Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) is an enveloped, positive

stranded RNA virus. SARS-CoV-2 causes respiratory illness called COVID-19.

Parameters tested on each lot

Product appearance Liquid, may turn slightly opaque during storage

Product concentration 5.0 mg/ml (+/- 10 %)

Immunoreactivity 80–120 % compared to the reference sample in an FIA test

IEF Profile 5.9–6.4

Purity ≥ 95 %

Kinetic parameters

Association rate constant 9.6 x 10⁴ 1/Ms

Dissociation rate constant Not Applicable (N/A)

Affinity constant N/A

Determination method BLI (Octet RED96e)

Determination antigen Recombinant SARS-CoV-2 N, Medix Biochemica (Cat 710082)





Cross-reactivities Recognizes SARS-CoV-2 B.1.1.7 and B.1.617.2 variants.

Recognizes SARS-CoV N.

Does not recognize MERS-CoV N, HCoV OC43 N, HCoV 229E N, HCoV HKU1 N or HCoV NL63 N.

Epitope Not Determined (N/D)

Pair recommendations

		DETECTION				
		3507	3508	3510	3511	3512
CAPTURE	3507	-	+	+	+	+
	3508	+	-	+	-	+
	3510	+	+	-	+	-
	3511	+	-	+	-	+
	3512	+	+	-	+	-

The pair recommendations are based on antibodies binding to different epitopes. As nucleoprotein is abundant in the virus, all antibodies pair with themselves and each other.

Please note that pair recommendations are based on results obtained by our laboratory. Equally good results may be obtained using other pairs and therefore these recommendations are only indicative.

Platforms tested FIA

Antigens tested Recombinant SARS-CoV-2 N antigen, Medix Biochemica 710081, 710082 and 710083.

Product stability TEMPERATURE, TIME RESULT -70 °C, 21 days OK

-20 °C, 21 days OK +4 °C, 21 days OK +35 °C, 21 days OK +45 °C, 7 days OK

Stability testing is performed in the product buffer to see whether different temperatures affect the antigen binding, charge or composition of the antibody. Please note that the shelf life given on the first page is based on real time stability testing at 2–8 °C in the product buffer.

Miscellaneous -

References -