Medix Biochemica

Anti-h Galectin-3 10305 SPTN-5

Product overview						
Catalog number	100734					
Specificity	Antibody recognizes human galectin-3					
Description	Monoclonal mouse antibody, cultured <i>in vitro</i> under conditions free from animal-derived components.					
Product buffer solution	50 mM Na-citrate, pH 6.0, 0.9 % NaCl, 0.095 % NaN $_{\rm 3}$ as a preservative					
Shelf life and storage	Unspecified, storage at 2–8 °C					
Subclass	lgG1					
Analyte description	Galectin-3 (Mac-2 antigen, IgE-binding protein, L-29, or CBP30) is a soluble lectin that binds to β -galactoside sugars found on several proteins. It is a pro-inflammatory and pro-fibriotic marker involved in fibrosis of various organs, including heart, vessels, lungs, liver, and kidneys. Its expression is upregulated in chronic inflammatory diseases, heart failure, hypertension and atherosclerotic lesions, and it is involved in several pathophysiological processes including cancer, liver cirrhosis, and diabetes mellitus.					
Parameters tested on each lot						
Parameters tested on ea	ch lot					
Parameters tested on ea Product appearance	ch lot Liquid, may turn slightly opaque during storage					
Product appearance	Liquid, may turn slightly opaque during storage					
Product appearance Product concentration	Liquid, may turn slightly opaque during storage 5.0 mg/ml (+/-10 %)					
Product appearance Product concentration Immunoreactivity	Liquid, may turn slightly opaque during storage 5.0 mg/ml (+/-10 %) 80–120 % compared to the reference sample in an FIA test					
Product appearance Product concentration Immunoreactivity IEF Profile	Liquid, may turn slightly opaque during storage 5.0 mg/ml (+/-10 %) 80–120 % compared to the reference sample in an FIA test 6.3–6.7					
Product appearance Product concentration Immunoreactivity IEF Profile Purity	Liquid, may turn slightly opaque during storage 5.0 mg/ml (+/-10 %) 80–120 % compared to the reference sample in an FIA test 6.3–6.7					
Product appearance Product concentration Immunoreactivity IEF Profile Purity Kinetic parameters	Liquid, may turn slightly opaque during storage 5.0 mg/ml (+/-10 %) 80–120 % compared to the reference sample in an FIA test 6.3–6.7 ≥ 95 %					
Product appearance Product concentration Immunoreactivity IEF Profile Purity Kinetic parameters Association rate constant	Liquid, may turn slightly opaque during storage 5.0 mg/ml (+/-10 %) 80-120 % compared to the reference sample in an FIA test 6.3-6.7 ≥ 95 % 6.1×10^5 1/Ms					
Product appearance Product concentration Immunoreactivity IEF Profile Purity Kinetic parameters Association rate constant Dissociation rate constant	Liquid, may turn slightly opaque during storage 5.0 mg/ml (+/-10 %) 80–120 % compared to the reference sample in an FIA test 6.3–6.7 ≥ 95 % 6.1 x 10 ⁵ 1/Ms 1.3 x 10 ⁻⁴ 1/s					



Oy Medix Biochemica Ab Klovinpellontie 3, Fl-02180 Espoo, Finland medix@medixbiochemica.com www.medixbiochemica.com VAT reg. no. FI14631532

Legal disclaimer

Medix Biochemica products meet their specifications if transported, stored, and used according to the instructions. Medix Biochemica's products may not be used or reproduced without Medix Biochemica's written permission.

Medix Biochemica

Cross-reactivities

Does not recognize Galectin-1, Galectin-9, or Galectin-3-binding protein

Located in the amino acid region A66 - T104

Epitope

Pair recommendations

		DETECTION						
		10301	10302	10303	10304	10305		
CAPTURE	10301	-	+	+	+	+		
	10302	+	-	-	+	+		
	10303	+	-	-	+	+		
	10304	+	+	+	-	-		
	10305	+	+	+	-	-		

Please note that pair recommendations are based on results obtained by our laboratory. Equally good results may be obtained using other pairs and therefore these recommendations are only indicative.

Platforms tested FIA, CLIA

Antigens tested Recombinant Galectin-3 antigen, Medix Biochemica 610144.

Product stabilityTEMPERATURE, TIMERESULT-70 °C, 21 daysOK-20 °C, 21 daysOK+4 °C, 21 daysOK+35 °C, 21 daysOK+45 °C, 7 daysOK

Stability testing is performed in the product buffer to see whether different temperatures affect the antigen binding, charge or composition of the antibody. Please note that the shelf life given on the first page is based on real time stability testing at 2–8 $^{\circ}$ C in the product buffer.

Miscellaneous

References



Oy Medix Biochemica Ab Klovinpellontie 3, Fl-02180 Espoo, Finland

medix@medixbiochemica.com www.medixbiochemica.com VAT reg. no. FI14631532

Legal disclaimer

Medix Biochemica products meet their specifications if transported, stored, and used according to the instructions. Medix Biochemica's products may not be used or reproduced without Medix Biochemica's written permission.