

## Actim® Partus publications

**BRUIJN MM ET AL.** Comparison of the Actim Partus test and the fetal fibronectin test in the prediction of spontaneous preterm birth in symptomatic women undergoing cervical length measurement. *Eur J Obstet Gynecol Reprod Biol.* (2016) 206:220-224.

**ĐOĞIĆ ET AL.** IGFBP-1 marker of cervical ripening and predictor of preterm birth. *Medicinski Glasnik* (2016) 13.

**TRIPATHI R ET AL.** Comparison of rapid bedside tests for phosphorylated insulin-like growth factor-binding protein 1 and fetal fibronectin to predict preterm birth. *Int J Gynaecol Obstet.* (2016) 135:47-50. Epub 2016 Jun 18.

**VALLIKKANNU N ET AL.** Insulin-like growth factor binding protein 1, Bishop score, and sonographic cervical length: tolerability and prediction of vaginal birth and vaginal birth within 24 hours following labour induction in nulliparous women. *BJOG* (2017) 124:1274-1283.

**COOPER S ET AL.** Diagnostic accuracy of rapid phIGFBP-1 assay for predicting preterm labor in symptomatic patients. *J Perinatol.* (2012) 32:460-465. Epub 2011 Oct 13.

**DANTI L ET AL.** The combination of short cervical length and phIGFBP-1 in the prediction of preterm delivery in symptomatic women. *J Matern Fetal Neonatal Med.* (2011) 24:1262-1266.

**DÖGL M, SKOGVOLL E, HEIMSTAD R.** Cervical insulin-like growth factor binding protein-1 (IGFBP-1) to predict spontaneous onset of labor and induction to delivery interval in post-term pregnancy. *Acta Obstet Gynecol Scand.* (2011) 90:57-62.

**RAHKONEN L.** Prediction of pre-term delivery with phosphorylated insulin-like growth factor-binding protein-1. *European Obstetrics & Gynecology* (2011) 6:3-7.

**RIBONI F ET AL.** Biochemical markers predicting pre-term delivery in symptomatic patients: phosphorylated insulin-like growth factor binding protein-1 and fetal fibronectin. *Arch Gynecol Obstet.* (2011) 284:1325-9.

**RIBONI F ET AL.** Combination of biochemical markers in predicting pre-term delivery. *Arch Gynecol Obstet.* (2012) 285: 61-66.

**ADEYEMI O, OSOBA L.** The role of phosphorylated insulin-like growth factor binding protein-1 in predicting pre-term labour in twin pregnancies. *Journal of Obstetrics and Gynaecology* (2010) 30:571-573.

**BRIK SPINELLI M ET AL.** Phosphorylated insulin-like growth factor binding protein-1 and cervical measurement in women with threatening preterm birth. *Acta Obstet Gynecol Scand* (2010) 89:268-74.

**NOR AZLIN MI ET AL.** Role of phIGFBP-1 and ultrasound cervical length in predicting pre-term labour. *Journal of Obstetrics and Gynaecology* (2010) 30:456-460.

**TANIR HM, SENER T, YILDIZ Z.** Cervical phosphorylated insulin-like growth factor binding protein-1 for the prediction of preterm delivery in symptomatic cases with intact membranes. *J Obstet Gynaecol Res* (2009) 1:66-72.

**Actim Oy - A subsidiary of Medix Biochemica**

**HEADQUARTERS**  
Kloivpellontie 3  
FI-02180 Espoo, Finland

**MANUFACTURING SITE**  
Noljakantie 13  
FI-80130 Joensuu, Finland

medix@medixbiochemica.com  
www.medixbiochemica.com  
VAT reg. no. FI29540422

**ALTINKAYA O ET AL.** Cervical phosphorylated insulin-like growth factor binding protein-1 in prediction of preterm delivery. *Arch Gynecol Obstet* (2009) 279:279-283. Epub 2008 Jun 13.

**BALIC D, LATIFAGIC A, HUDIC I.** Insulin-like growth factor-binding protein-1 (IGFBP-1) in cervical secretions as a predictor of preterm delivery. *J Matern Fetal Neonatal Med* (2008) 21:297-300.

**BITTAR R ET AL.** Predicting preterm delivery in asymptomatic patients with prior preterm delivery by measurement of cervical length and phosphorylated insulin-like growth factor-binding protein-1. *Ultrasound Obstet Gynecol* (2007) 29:562-567.

**EROGLU D ET AL.** Prediction of preterm delivery among women with threatened preterm labor. *Gynecol Obstet Invest* (2007) 64:109-116.

**PATERNOSTER DM ET AL.** Cervical phIGFBP-1 in the evaluation of the risk of preterm delivery. *Acta Obstet Gynecol Scand* (2007) 86:151-155.

**TING HS ET AL.** Comparison of bedside test kits for prediction of preterm delivery: phosphorylated insulin-like growth factor binding protein-1 (pIGFBP-1) test and fetal fibronectin test. *Ann Acad Med Singapore* (2007) 36:399-402.

**ELIZUR SE ET AL.** Insulin-like growth factor binding protein-1 detection in preterm labor: evaluation of a bedside test. *Am J Perinatol* (2005) 22:305-309.

**AKERCAN F ET AL.** Value of cervical phosphorylated insulinlike growth factor binding protein-1 in the prediction of preterm labor. *J Reprod Med* (2004) 49:368-372.

**KWEK K ET AL.** Evaluation of a bedside test for phosphorylated insulin-like growth factor binding protein-1 in preterm labour. *Ann Acad Med Singapore* (2004) 33:780-783.

**PARK O-R ET AL.** Usefulness of phosphorylated insulin-like growth factor binding protein-1 for prediction of preterm delivery. *Korean J Obstet Gynecol* (2003) 46:1378-1383. (In Korean, abstract in English).

**LEMBET A ET AL.** New rapid bed-side test to predict preterm delivery: phosphorylated insulin-like growth factor binding protein-1 in cervical secretions. *Acta Obstet Gynecol Scand* (2002) 81:706-712.

**KEKKI M ET AL.** Insulin-like growth factor-binding protein-1 in cervical secretion as a predictor of preterm delivery. *Acta Obstet Gynecol Scand* (2001) 80:546-551.

**SHINE BK ET AL** Insulin-like growth factor-binding protein-1 in cervical secretion as a predictor of preterm delivery. *Korean J Obstet Gynecol* (2001) 44:2250-2256. (In Korean, abstract in English).

**KEKKI M ET AL.** Insulin-like growth factor binding protein-1 in cervix as a marker of infectious complications in pregnant women with bacterial vaginosis. *Lancet* (1999) 353:1494.

**NUUTILA M ET AL.** Phosphorylated isoforms of insulin-like growth factor binding protein-1 in the cervix as a predictor of cervical ripeness. *Obstet Gynecol* (1999) 94:243-249.

#### Actim Oy - A subsidiary of Medix Biochemica

**HEADQUARTERS**  
Kloivpellontie 3  
FI-02180 Espoo, Finland

**MANUFACTURING SITE**  
Noljakantie 13  
FI-80130 Joensuu, Finland

medix@medixbiochemica.com  
www.medixbiochemica.com  
VAT reg. no. FI29540422

## Actim<sup>®</sup> Partus abstracts & posters

**SANCHEZ MARTINEZ M ET AL.** Comparison of ecographic cervical length at two different cut-off points and two biochemical markers as predictors of spontaneous preterm delivery in women admitted because of preterm labor. *Ultrasound Obstet Gynecol* (2006) 28:583-584. Poster abstract in 16<sup>th</sup> World Congress on Ultrasound in Obstetrics and Gynecology, Sept. 3-7, 2006, London, UK.

**TURNELL R ET AL.** A direct comparison of fetal fibronectin [FFN<sup>®</sup>] and pIGFBP-1 [actim<sup>™</sup> Partus] in the diagnosis of preterm labour [PTL]. Abstract in *JOGC* (2005), 17:0-OBS-014.

**BITTAR R ET AL.** Cervical insulin like growth factor binding protein-1 (pIGFBP-1) in patients at increased risk for preterm delivery: preliminary results. Poster presented in 5<sup>th</sup> World Congress of Perinatal Medicine, Sept. 23-27, 2001, Barcelona, Spain.

## Articles on IGFBP-1

**RUTANEN E-M.** Insulin-like growth factors in obstetrics. *Opin Obstet Gynecol* (2000) **12**:163-168.

**Actim Oy - A subsidiary of Medix Biochemica**

**HEADQUARTERS**  
Klovinpellontie 3  
FI-02180 Espoo, Finland

**MANUFACTURING SITE**  
Noljakantie 13  
FI-80130 Joensuu, Finland

medix@medixbiochemica.com  
www.medixbiochemica.com  
VAT reg. no. FI29540422