

## PRODUCT SPECIFICATIONS

<b>Name</b>	Anti-h Copeptin 4806 SPTN-5
<b>Specificity</b>	Antibody recognizes human copeptin
<b>Description</b>	Monoclonal mouse antibody, cultured <i>in vitro</i> under conditions free from animal-derived components
<b>Product code</b>	100648
<b>Product buffer solution</b>	50 mM Na-citrate, pH 6.0, 0.9 % NaCl, 0.095 % NaN <sub>3</sub> as a preservative
<b>Shelf life and storage</b>	Unspecified, storage at 2-8 °C
<b>Analyte description</b>	Copeptin is a 39-amino acid glycopeptide, cleaved from the C-terminus of pre-provasopressin (pre-proAVP). It has been suggested as a biomarker in diagnosis and prognosis of several diseases, such as acute myocardial infarction, heart failure, hyponatremia, and sepsis.

## PARAMETERS TESTED ON EACH LOT

<b>Product appearance</b>	Liquid, may turn slightly opaque during storage
<b>Product concentration</b>	5.0 mg/ml (+/- 10 %)
<b>Immunoreactivity</b>	80-120 % compared to the reference sample in an FIA test
<b>IEF Profile</b>	7.2 - 7.9
<b>Purity</b>	≥ 95 %

## PARAMETERS DETERMINED DURING PRODUCT DEVELOPMENT

<b>Subclass</b>	IgG <sub>1</sub>
<b>Association rate constant</b>	Not Determined (N/D)
<b>Dissociation rate constant</b>	N/D
<b>Affinity constant</b>	N/D
<b>Determination method</b>	-
<b>Determination antigen</b>	-

### Legal disclaimer

Medix Biochemica products meet their specifications if transported, stored and used according to the instructions. MedixMAB is a registered trademark of Medix Biochemica and may not be used or reproduced without Medix Biochemica's written permission.

### Oy Medix Biochemica Ab

**Headquarters and manufacturing**  
Klovinpellontie 3  
FI-02180 Espoo, Finland

medix@medixbiochemica.com  
www.medixbiochemica.com  
VAT reg. no. FI4631532

<b>Cross-reactivities</b>	N/D	
<b>Epitope</b>	Epitope is located within the sequence QLAGAPEPFEPAPDAY in the C-terminal part of copeptin	
<b>Pair recommendations</b>	<b>CAPTURE ANTIBODY</b> 4806 4801, 4802	<b>DETECTION ANTIBODY</b> 4801, 4802 4806
	Please note that pair recommendations are based on results obtained by our laboratory. Equally good results may be obtained using other pairs and therefore these recommendations are only indicative.	
<b>Product stability</b>	<b>TEMPERATURE, TIME</b> -70 °C, 21 days -20 °C, 21 days +4 °C, 21 days +35 °C, 21 days +45 °C, 7 days	<b>RESULT</b> OK OK OK OK OK
	Stability testing is performed in the product buffer to see whether different temperatures affect the antigen binding, charge or composition of the antibody. Please note that the shelf life given on the first page is based on real time stability testing at 2-8 °C in the product buffer.	
<b>Miscellaneous</b>	-	
<b>References</b>	-	

**Legal disclaimer**

Medix Biochemica products meet their specifications if transported, stored and used according to the instructions. MedixMAB is a registered trademark of Medix Biochemica and may not be used or reproduced without Medix Biochemica's written permission.

**Oy Medix Biochemica Ab**

**Headquarters and manufacturing**  
Klovinpellontie 3  
FI-02180 Espoo, Finland

medix@medixbiochemica.com  
www.medixbiochemica.com  
VAT reg. no. FI4631532