

PRODUCT SPECIFICATIONS

Name	Anti-h ApoA1 2001 SPTN-5
Specificity	Antibody recognizes human apolipoprotein A1 (ApoA1)
Description	Monoclonal mouse antibody, cultured <i>in vitro</i> under conditions free from animal-derived components
Product code	100263
Product buffer solution	50 mM Na-citrate, pH 6.0, 0.9 % NaCl, 0.095 % NaN ₃ as a preservative
Shelf life and storage	36 months from manufacturing at 2-8 °C
Analyte description	Apolipoprotein A1 (ApoA1) is a major component of the high-density lipoprotein complex (HDL or "good cholesterol"). ApoA1 helps to clear cholesterol from arteries. Decreased serum HDL cholesterol levels have been reported to correlate with increased risk of coronary artery disease. However, ApoA1 has been suggested as a better discrimination of coronary artery disease than HDL.

PARAMETERS TESTED ON EACH LOT

Product appearance	Liquid, may turn slightly opaque during storage
Product concentration	5.0 mg/ml (+/- 10 %)
Immunoreactivity	80-120 % compared to the reference sample in an FIA test
IEF Profile	6.0 - 6.7
Purity	≥ 95 %

PARAMETERS DETERMINED DURING PRODUCT DEVELOPMENT

Subclass	IgG ₁
Association rate constant	2×10^5 1/Ms
Dissociation rate constant	5×10^{-4} 1/s
Affinity constant	$K_A = 5 \times 10^8$ 1/M; $K_D = 2 \times 10^{-9}$ M
Determination method	SPR analysis (ProteOn XPR36)
Determination antigen	Human Apolipoprotein A1, Chemicon (Cat ALP10, Lot 0507005923)

Legal disclaimer

Medix Biochemica products meet their specifications if transported, stored and used according to the instructions. MedixMAB is a registered trademark of Medix Biochemica and may not be used or reproduced without Medix Biochemica's written permission.

Oy Medix Biochemica Ab

Headquarters and manufacturing
Klovinpellontie 3
FI-02180 Espoo, Finland

medix@medixbiochemica.com
www.medixbiochemica.com
VAT reg. no. FI4631532

Cross-reactivities Not Determined (N/D)

Epitope N/D

Pair recommendations	CAPTURE ANTIBODY	DETECTION ANTIBODY
	-	-

Please note that pair recommendations are based on results obtained by our laboratory. Equally good results may be obtained using other pairs and therefore these recommendations are only indicative.

Product stability	TEMPERATURE, TIME	RESULT
	-70 °C, 21 days	Not recommended, may precipitate
	-20 °C, 21 days	Not recommended, may precipitate
	+4 °C, 21 days	OK
	+25 °C, 21 days	OK
	+35 °C, 21 days	OK
	+45 °C, 7 days	OK

Stability testing is performed in the product buffer to see whether different temperatures affect the antigen binding, charge or composition of the antibody. Please note that the shelf life given on the first page is based on real time stability testing at 2-8 °C in the product buffer.

Miscellaneous -

References -