

PRODUCT SPECIFICATIONS

Name	Anti-h CYFRA21-1 1603 SPTNZ-5
Specificity	Antibody recognizes human CYFRA 21-1 fragment of cytokeratin 19
Description	Monoclonal mouse antibody, cultured <i>in vitro</i> under conditions free from animal-derived components
Product code	100221
Product buffer solution	50 mM Na-citrate, pH 6.0, 0.9 % NaCl, 0.05 % Sulfobetaine, 0.095 % NaN ₃ as a preservative
Shelf life and storage	12 months from manufacturing at 2-8 °C
Analyte description	CYFRA 21-1 is a fragment of cytokeratin 19 which is expressed in various types of epithelial cells and tumor cells of epithelial origin. Serum CYFRA 21-1 has been used as a tumor marker of different origins and especially in non-small cell lung cancer.

PARAMETERS TESTED ON EACH LOT

Product appearance	Liquid, may turn slightly opaque during storage
Product concentration	5.0 mg/ml (+/- 10 %)
Immunoreactivity	80-120 % compared to the reference sample in an FIA test
IEF Profile	6.9 – 8.6
Purity	≥ 95 %

PARAMETERS DETERMINED DURING PRODUCT DEVELOPMENT

Subclass	IgG _{2a}
Association rate constant	1 × 10 ⁴ 1/Ms
Dissociation rate constant	4 × 10 ⁻⁵ 1/s
Affinity constant	K _A = 3 × 10 ⁸ 1/M, K _D = 4 × 10 ⁻⁹ M
Determination method	SPR analysis (ProteOn XPR36)
Determination antigen	Recombinant human Cytokeratin 19, Biodesign (Cat A44214H, Lot 12F15608)

Legal disclaimer

Medix Biochemica products meet their specifications if transported, stored and used according to the instructions. MedixMAB is a registered trademark of Medix Biochemica and may not be used or reproduced without Medix Biochemica's written permission.

Oy Medix Biochemica Ab

Headquarters and manufacturing
Klovinpellontie 3
FI-02180 Espoo, Finland

medix@medixbiochemica.com
www.medixbiochemica.com
VAT reg. no. FI4631532

Cross-reactivities

100 % Cytokeratin 19

Epitope

Not Determined (N/D)

Pair recommendations

		DETECTION			
		1602	1603	1604	1605
CAPTURE	1602	-	-	+	+
	1603	-	-	+	+
	1604	+	+	-	-
	1605	+	+	-	-

Please note that pair recommendations are based on results obtained by our laboratory. Equally good results may be obtained using other pairs and therefore these recommendations are only indicative.

Product stability

TEMPERATURE, TIME

RESULT

-70 °C, 21 days	OK
-20 °C, 21 days	OK
+4 °C, 21 days	OK
+25 °C, 21 days	OK
+35 °C, 7 days	OK
+35 °C, 21 days	OK, some charge alterations
+45 °C, 3 days	OK
+45 °C, 7 days	OK, some charge alterations

Stability testing is performed in the product buffer to see whether different temperatures affect the antigen binding, charge or composition of the antibody. Please note that the shelf life given on the first page is based on real time stability testing at 2–8 °C in the product buffer.

Miscellaneous

Antibody recognizes native CYFRA 21-1, Lee Biosolutions, Cat. 192-20.

References

-

Legal disclaimer

Medix Biochemica products meet their specifications if transported, stored and used according to the instructions. MedixMAB is a registered trademark of Medix Biochemica and may not be used or reproduced without Medix Biochemica's written permission.

Oy Medix Biochemica Ab

Headquarters and manufacturing
Klovinpellontie 3
FI-02180 Espoo, Finland

medix@medixbiochemica.com
www.medixbiochemica.com
VAT reg. no. FI4631532